LED LAMPS

Page 6

LED INDUSTRIAL BULB

Page 6

LED BULBS

Page 12

LED FILAMENT LAMPS

Page 16

LED GLOBES

Page 19

LED CANDLES AND FLAMES

Page 20

LED LAMPS G9

Page 21

LED LAMPS G4

Page 22

LED REFLECTOR R50

Page 22

LED REFLECTOR AR111

Page 23

SWIMMING POOL LED LAMP

Page 23

LED RING LAMPS

Page 24

LED LAMPS
WITH SPECIFIC APPLICATION

Page 25

LED SPOTLIGHTS

Page 31

LED TUBES T8

UltraLux®

LED BULBS

UltraLux®

3 years warranty

LED INDUSTRIAL BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB302742	30 W	E27	4200 K	2650 lm	160 W	01199



330° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Designed for continuous operation in industrial lighting fixtures

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB352742	35 W	E27	4200 K	3200 lm	187 W	01224



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 220° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB252742	25 W	E27	4200 K	2350 lm	145 W	01200



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 220° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULBS

UltraLux®

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB202742	20 W	E27	4200 K	1850 lm	118 W	01201



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 220° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue. №
LBG142727	14 W	E27	2700 K	1250 lm	85 W	01225
LBG142742	14 W	E27	4200 K	1350 lm	91 W	01226



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG122727	12 W	E27	2700 K	1100 lm	77 W	01227
LBG122742	12 W	E27	4200 K	1140 lm	80 W	01228



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULBS

UltraLux®

LED BULB, DIMMABLE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBB102742D	10 W	E27	4200 K	950 lm	69 W	01125



DIMMABLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · 2 YEARS WARRANTY · SMD LED TYPE · ON OFF x 30 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG102727	10 W	E27	2700 K	850 lm	63 W	01229
LBG102742	10 W	E27	4200 K	920 lm	67 W	01230



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMP

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPL10E2742	10 W	E27	4200 K	900 lm	66 W	01114



ROTATABLE SOCKET · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 30 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Rotatable base for adjusting the light direction

LED BULBS

UltraLux®

LED BULB

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB92742	9 W	E27	4200 K	860 lm	63 W	01151



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Wide beam angle.
Suitable for horizontal and vertical installation.

LOW VOLTAGE LED BULB

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBB82742LV	8 W	E27	4200 K	640 lm	50 W	01152



24V AC/DC 12V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LOW VOLTAGE LED BULB

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG82727LV	8 W	E27	2700 K	700 lm	54 W	01288
LBG82742LV	8 W	E27	4200 K	740 lm	56 W	01289



24V AC/DC 9V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULBS

UltraLux®

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG71427	7 W	E14	2700 K	620 lm	49 W	01231
LBG71442	7 W	E14	4200 K	680 lm	53 W	01232



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG72727	7 W	E27	2700 K	600 lm	48 W	01233
LBG72742	7 W	E27	4200 K	650 lm	51 W	01234



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED BULB

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB62727	6 W	E27	2700 K	570 lm	46 W	01130
LB62742	6 W	E27	4200 K	600 lm	48 W	01131



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 30 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Wide beam angle.
Suitable for horizontal and vertical installation.

LED BULBS

UltraLux®

LED BULB, BLUE LIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB627B	6 W	E27	-	-	-	01235





Combination of blue diffuser and LEDs for greater intensity of colour.

LED BULB, GREEN LIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB627G	6 W	E27	-	-	-	01236





Combination of green diffuser and LEDs for greater intensity of colour.

LED BULB, RED LIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB627R	6 W	E27	-	-	-	01237





Combination of red diffuser and LEDs for greater intensity of colour.

LED **FILAMENT** LAMPS

UltraLux®

LED **FILAMENT** BULB, OPAL

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFB82727	8W	E27	2700 K	880 lm	64 W	01310



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · FLICKER-FREE · NON DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** BULB, DIMMABLE, AMBER

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFB752725D	7.5 W	E27	2500 K	950 lm	67 W	01290



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** BULB, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFB752742D	7.5 W	E27	4200 K	1000 lm	72 W	01291



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** LAMPS

UltraLux®

LED **FILAMENT** BULB

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFB62727	6 W	E27	2700 K	650 lm	51 W	01171





LED **FILAMENT** GLOBE, DIMMABLE , AMBER

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFG41425D	4 W	E14	2500 K	350 lm	32 W	01292





LED **FILAMENT** GLOBE, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFG41442D	4 W	E14	4200 K	400 lm	35 W	01293





LED **FILAMENT** LAMPS

UltraLux®

LED **FILAMENT** GLOBE, DIMMABLE, AMBER

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFG42725D	4 W	E27	2500 K	350 lm	32 W	01294



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · FLICKER-FREE · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** GLOBE, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFG42742D	4 W	E27	4200 K	400 lm	35 W	01295



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · FLICKER-FREE · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** GLOBE, DIMMABLE, AMBER

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFT42725D	4 W	E27	2500 K	320 lm	30 W	01296



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** LAMPS

UltraLux®

LED **FILAMENT** CANDLE, DIMMABLE, AMBER

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFC41425D	4 W	E14	2500 K	350 lm	32 W	01297



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** CANDLE, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFC41442D	4 W	E14	4200 K	400 lm	35 W	01298



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** FLAME, DIMMABLE, AMBER

A+ CE



Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFF41425D	4 W	E14	2500 K	350 lm	32 W	01299



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED **FILAMENT** FLAME, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LFF41442D	4 W	E14	4200 K	400 lm	35 W	01300



360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · INDOOR · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 10 000 · ON <0,2 sec. · ON 100% INSTANT

LED GLOBES

UltraLux®

LED GLOBE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LT152727	15 W	E27	2700 K	1300 lm	88 W	01238
LT152742	15 W	E27	4200 K	1400 lm	94 W	01239





LED GLOBE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG51427	5 W	E14	2700 K	460 lm	39 W	01243
LBG51442	5 W	E14	4200 K	480 lm	41 W	01244





LED GLOBE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG52727	5 W	E27	2700 K	460 lm	39 W	01245
LBG52742	5 W	E27	4200 K	480 lm	41 W	01246





LED GLOBES

UltraLux®

LOW VOLTAGE LED GLOBE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LB52727LV	5W	E27	2700K	450 lm	39 W	01263
LB52742LV	5W	E27	4200K	470 lm	40 W	01264





LOW VOLTAGE LED GLOBE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG52727LV	5 W	E27	2700 K	460 lm	39 W	01301
LBG52742LV	5 W	E27	4200 K	480 lm	41 W	01302





LED GLOBE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBN31427	3 W	E14	2700 K	270 lm	26 W	01247





LED GLOBES

UltraLux®

LED GLOBE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG31442	3 W	E14	4200 K	300 lm	28 W	01248





LED GLOBE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBG32727	3 W	E27	2700 K	280 lm	27 W	01303
LBG32742	3 W	E27	4200 K	300 lm	28 W	01249





LED CANDLES AND FLAMES

UltraLux®

LED CANDLE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LC71427	7 W	E14	2700 K	600 lm	48 W	01250
LC71442	7 W	E14	4200 K	650 lm	51 W	01251



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED CANDLE

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LC51427	5 W	E14	2700 K	450 lm	39 W	01252
LC51442	5 W	E14	4200 K	480 lm	41 W	01253



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED FLAME

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LF51427	5 W	E14	2700 K	450 lm	39 W	01254
LF51442	5 W	E14	4200 K	480 lm	41 W	01255



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 270° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMPS

UltraLux®

LED LAMP, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPG94527D	4.5 W	G9	2700 K	450 lm	39 W	01210
LPG94542D	4.5 W	G9	4200 K	450 lm	39 W	01211



Ø 18 mm

360° BEAM ANGLE · DIMMABLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMP

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPG9327	3 W	G9	2700 K	350 lm	32 W	01212
LPG9342	3 W	G9	4200 K	380 lm	34 W	01213



Ø 19 mm

360° BEAM ANGLE · FLICKER-FREE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMP

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LP220E14327	3 W	E14	2700 K	300 lm	28 W	01135
LP220E14342	3 W	E14	4200 K	300 lm	28 W	01136



Ø 18 mm

360° BEAM ANGLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMPS

UltraLux®

LED LAMP

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPS12G4227	2 W	G4	2700 K	140 lm	15 W	01033
LPS12G4242	2 W	G4	4200 K	140 lm	15 W	01034



360° BEAM ANGLE · 12V DC VOLTAGE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMP

A+ CE



Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPM12G4227	2 W	G4	2700 K	140 lm	15 W	01035
LPM12G4242	2 W	G4	4200 K	140 lm	15 W	01036



DIMMABLE · 12V DC VOLTAGE · 180° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMP

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LPG41527	1.5 W	G4	2700 K	130 lm	-	01214
LPG41542	1.5 W	G4	4200 K	160 lm	17 W	01215



360° BEAM ANGLE · 12V DC VOLTAGE · Ra ≥80 CRI · NON DIMMABLE · COB LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED REFLECTORS

UltraLux®

LED REFLECTOR R50

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGR5051427	5 W	E14	2700 K	430 lm	37 W	01258
LGR5051442	5 W	E14	4200 K	450 lm	39 W	01259





LED REFLECTOR AR111

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LAR12G531227	12 W	G53	2700 K	950 lm	100 W	01216
LAR12G531255	12 W	G53	5500 K	1100 lm	100 W	01217





LED LAMPS

UltraLux®

SWIMMING POOL LED LAMP PAR56, DIMMABLE

A CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LP56121560	15 W	-	6000 K	1100 lm	77 W	01123



12V AC/DC VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · DIMMABLE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT

Designed for pool fixtures IP68

LED RING LAMP

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LRL242730	24 W	E27	3000 K	2050 lm	128 W	01218



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED LAMPS WITH SPECIFIC APPLICATION

UltraLux®

LED BULB WITH MOTION SENSOR AND PHOTOCELL

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBPS62742	6W	E27	4200K	560 lm	45W	01260



PHOTOCELL SENSOR · PIR SENSOR · 60 sec TIME DELAY · H 2.0–3.5m INSTALLATION HEIGHT · L 6m DETECTION DISTANCE · 360° DETECTION RANGE · <20lx AMBIENT LIGHT · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · 260° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

It turns ON/OFF when it detects movement at low ambient light level

LED BULB WITH PHOTOCELL

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBFS62742	6W	E27	4200K	560 lm	45W	01261



PHOTOCELL SENSOR · <20lx AMBIENT LIGHT · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · 260° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

It turns ON/OFF at low ambient light level

LED BULB WITH BUILT-IN BATTERY

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LBE62742	6W	E27	4200 K	450 lm	39W	01262



Working time in emergency mode: 2h
Charging time: 16h
Li-ion battery 600 mAh
120 lm in emergency mode

240V 220V VOLTAGE · 50/60Hz FREQUENCY · 200° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · NON DIMMABLE · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

ADAPTER E27 WITH SWITCH

CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
ASE27	-	E27	-	-	-	01304

Adapter E27 with a switch for LED bulb with built-in battery LBE62742

LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT, DIMMABLE

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGN10727D	7 W	GU10	2700 K	620 lm	-	01304
LGN10742D	7 W	GU10	4200 K	650 lm	-	01305





LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGN1216727	7 W	MR16	2700 K	550 lm	-	01306
LGN1216742	7 W	MR16	4200 K	580 lm	-	01307





LED SPOTLIGHT

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGN10727	7 W	GU10	2700 K	620 lm	-	01308
LGN10742	7 W	GU10	4200 K	650 lm	-	01309





LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LC22016627	6 W	GU5.3	2700 K	500 lm	47 W	01178
LC22016642	6 W	GU5.3	4200 K	550 lm	50 W	01179



38° BEAM ANGLE · NON DIMMABLE · 240V 220V VOLTAGE · 50/60Hz FREQUENCY · Ra ≥80 CRI · COB LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGL1216627	6 W	GU5.3	2700 K	450 lm	44 W	01265
LGL1216642	6 W	GU5.3	4200 K	480 lm	45 W	01266



12V DC VOLTAGE · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGL16627	6 W	GU5.3	2700 K	510 lm	47 W	01267
LGL16642	6 W	GU5.3	4200 K	550 lm	50 W	01268



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGL10627	6 W	GU10	2700 K	510 lm	47 W	01269
LGL10642	6 W	GU10	4200 K	550 lm	50 W	01270



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHT, BLUE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L510B	5 W	GU10	-	-	-	01271



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Combination of blue diffuser and LEDs
for greater intensity of colour

LED SPOTLIGHT, GREEN

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L510G	5 W	GU10	-	-	-	01272



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Combination of green diffuser and LEDs
for greater intensity of colour

LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT, RED

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L510R	5 W	GU10	-	-	-	01273



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Combination of red diffuser and LEDs for greater intensity of colour

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L2S1216427	4 W	GU5.3	2700 K	320 lm	36 W	01189
L2S1216442	4 W	GU5.3	4200 K	340 lm	36 W	01190



12V DC VOLTAGE · 120° BEAM ANGLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Aluminium housing for better cooling

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L2S22016427	4 W	GU5.3	2700 K	320 lm	36 W	01193
L2S22016442	4 W	GU5.3	4200 K	340 lm	36 W	01194



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Aluminium housing for better cooling

LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L2S22010427	4 W	GU10	2700 K	320 lm	36 W	01191
L2S22010442	4 W	GU10	4200 K	340 lm	36 W	01192



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

Aluminium housing for better cooling

LED SPOTLIGHT

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGS1216327	3 W	GU5.3	2700 K	250 lm	28 W	01282
LGS1216342	3 W	GU5.3	4200 K	280 lm	31 W	01283



12V DC VOLTAGE · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHT

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGS16327	3 W	GU5.3	2700 K	250 lm	28 W	01284
LGS16342	3 W	GU5.3	4200 K	280 lm	31 W	01285



240V 220V VOLTAGE · 50/60Hz FREQUENCY · 120° BEAM ANGLE · NON DIMMABLE · Ra ≥80 CRI · SMD LED TYPE · 2 YEARS WARRANTY · ON OFF x 15 000 · ON <0,2 sec. · ON 100% INSTANT · INDOOR

LED SPOTLIGHTS

UltraLux®

LED SPOTLIGHT

A++ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
LGS10327	3 W	GU10	2700 K	250 lm	28 W	01286
LGS10342	3 W	GU10	4200 K	280 lm	31 W	01287





LED SPOTLIGHT

A+ CE

Product №	Power	Base	Colour temperature	Luminous flux	Equivalent	Catalogue №
L12MR11227	2 W	GU4	2700 K	140 lm	-	01082





LED TUBES T8

UltraLux®

LED TUBE T8 WITH ROTATABLE BASE

A+ CE

Product №	Voltage	Power	Base	Colour temperature	Luminous flux	Catalogue №
LST82242	220-240 V AC	22 W	G13	4200 K	2200 lm	01901
LST82260	220-240 V AC	22 W	G13	6000 K	2200 lm	01902





LED TUBE T8 WITH ROTATABLE BASE

A+ CE

Product №	Voltage	Power	Base	Colour temperature	Luminous flux	Catalogue №
LST81842	220-240 V AC	18 W	G13	4200 K	1800 lm	01903
LST81860	220-240 V AC	18 W	G13	6000 K	1800 lm	01904





LED TUBE T8 WITH ROTATABLE BASE

A+ CE

Product №	Voltage	Power	Base	Colour temperature	Luminous flux	Catalogue №
LST8942	220-240 V AC	9 W	G13	4200 K	900 lm	01905
LST8960	220-240 V AC	9 W	G13	6000 K	900 lm	01906